



Certificate of Compliance

CE

We hereby declare that the technical files of all the items in each product group complies with the requirements of the Council Directive on The Pressure Equipment Directive 2014/68/EU.

Certificate No: - CE-3269

Manufacturer: SIMPLEX METAL & ALLOYS

Address : -29, 1ST FLOOR, ALANKAR CINEMA BUILDING, BUILDING

NO. 247, NEAR PETROL PUMP, S. V. P. ROAD, MUMBAI -

400 004, MAHARASHTRA, INDIA.

Products : PIPE FITTINGS, FORGED FITTINGS, FLANGES AND

FABRICATED PRODUCTS.

Complies with the requirements applicable to it

The quality system file has been assessed, approved and is subject to continuous surveillance according to the Council Directive on The Pressure Equipment Directive 2014/68/EU.

This certificate is issued under the following conditions:

- It applies only to the quality system maintained in the manufacture of above referenced models and it does not substitute the design or type-examination procedures, if requested.
- 2. The certificate remains valid until the manufacturing conditions or the quality systems are changed.
- 3. The certificate validity is conditioned by positive results or surveillance audits. The CE mark as shown above can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of conformity and compliance with all relevant EC Directives. The statement is based on a single evaluation of test report of one sample of above mentioned product. It does not imply an assessment of the whole production.

Validity of this certificate can be verified at www.ukcertifications.org.uk/verify

Date of Certification 28th June 2022

1st Surveillance Audit Due 27th June 2023

2nd Surveillance Audit Due 27th June 2024

Certificate Expiry (subject to the company maintaining 27th June 2025

its system to the required standard)

Authorised Signatory









Manufacturer: SIMPLEX METAL & ALLOYS

SR.NO	PRODUCT NAME	SPECIFICATION
		Butt-weld Pipe Fittings
1	180° Elbow	Material Of Construction:
2	90° Elbow	Carbon Steel, Stainless steel, Alloy Steel, High Nickel Alloys
3	45° Elbow	Monel, Inconel, Hastealloy, Copper, Brass
4	Reducing Tee	Bronze, Titanium, Tantalum,
5	Straight Tee	
6	Concentric Reducer	Copper Nickel Butt Weld Pipe Fittings:
7	Eccentric Reducer	CuNi10Fe1Mn,CuNi30Mn1Fe
8	Ball Caps	Size Range: 1/8" NB TO 48" NB
9	End Caps	Thickness: SCH: 10s, 20s, 40s, 80s,
10	U bends	40,STD,60,80,XS,100,120,140,160,XXS
11	Custom Radius Pipe Bends	Custom Thickness
12	Equal Cross	Surface Treatment:
13	Reducing Cross	Hot Dip Galvanizing
14	Long Pattern Stub Ends	Epoxy & FBE Coating
15	Short Pattern Stub Ends	Electro Polish

Dand...
Authorised Signatory







SR.NO	PRODUCT NAME	SPECIFICATION
	Forged F	ittings
		Material of Construction: Carbon Steel,
1	Forged Socket Pipe Fittings	Stainless Steel, Alloy Steel, High Nickel Alloys
		Size Range: 1/8"~4" (DN6~DN100)
		Pressure: 3000LBS, 6000LBS, 9000LBS
		Material of Construction: Carbon Steel,
2	Forged Threaded Pipe Fittings	Stainless Steel, Alloy Steel, High Nickel Alloys
		Pressure: 2000LBS, 3000LBS, 6000LBS
		Size Range: 1/8"~4" (DN6~DN100)
3	Forged Olet	Size Range: 15 NB upto 100 NB 3000 LBS & 6000 (Sockolet / Thredolet / Nippolet / Elbole / Insert Weldolet / Branzolet & Coupolet)
		6 NB upto 600 NB (Weldolet / Sweepolet) SCH
	(i)Socketed Outlet fittings - Sockolet (ii)Threaded Outlet fittings - Threadolet	5S, 10S, 10, 20, 40S, 40, STD, 60, 80S, 80, XS,
		100, 120, 140, 160 & XXS.
	(iii)Welded Outlet fittings - Weldolets	Pressure: 2000 lbs, 3000 lbs, 6000 lbs, 9000
	(iv)Nippled Outlet fittings - Nippolet	lbs











SR.NO	PRODUCT NAME	SPECIFICATION
		FLANGES
1	Slip-On Flange	Material Of Construction: Carbon steel, Stainless Steel, Alloy Steel, High Nickel Alloys
2	Blind Flange	A105, P245GH, A350 LF2, F11, F22, F304, F304L, F316, F316L, 316Ti, F51, F60, etc.
3	Weld Neck Flange	Size: ½" – 78" (DN15-DN2000)
4	Lap Joint Flange	Pressure: class 150,300,600,1500,2500, PN6,PN10,PN16,PN25,PN40,PN64,PN100,PN160
5	Threaded Flange	Packing: No Fumigate or Fumigate Plywood/Wood Pallet or Case
6	Socketweld Flange	Surface Treatment: Anti-rust Oil, Transparent/Yellow/Black Anti-rust Paint, Zinc, Hot dipped Galvanized.
7	Spectacle Blind Flange	STANDARD – ASTM, EN, DIN, JIS.

Damel ..



